

Haverford Extending Dining Table


ASSEMBLY INSTRUCTIONS

ASSEMBLY INSTRUCTIONS

Read these instructions carefully and keep for future reference. Refer to parts inventory for guidance, and ensure you have all pieces before starting. When assembling, place all parts on a soft, clean, and flat surface such as a carpet to prevent scratches.

PARTS INVENTORY		
ID	DESCRIPTION	QTY
1	TOP	1
2	LEAF	1
3	LEG	4
4	MOUNTING PANEL	4


HARDWARE INVENTORY				
ID	IMAGE	DESCRIPTION	SIZE	QTY
A		ALLEN BOLT	M8 x35mm	24
B		LOCK WASHER	12 x 9mm	24
C		FLAT WASHER	19 X 9mm	24
D		ALLEN WRENCH	5 X 110mm	1
E		LEVELING GUIDE	M8 X 30mm	4
F		LOCK		4



JOON LOLOI

STEP 1


Place the **MOUNTING PANEL (4)** onto the **LEG (3)**, ensuring the bolt holes are properly aligned. Slide a **LOCK WASHER (B)**, followed by a **FLAT WASHER (C)**, onto an **ALLEN BOLT (A)**. Secure the **MOUNTING PANEL (4)** to the leg by using the **ALLEN KEY (D)** to tighten the **ALLEN BOLT (A)**. Repeat this process for all remaining **LEGS (3)**.



JOON LOLOI

STEP 2


Place the **TABLE TOP (1)** with the top side facing down and position the **LEGS (3)** onto it, making sure the bolt holes are aligned. Slide a **LOCK WASHER (B)**, followed by a **FLAT WASHER (C)**, onto an **ALLEN BOLT (A)**. Align the bolt holes on the leg assembly and attach it to the bottom of the table top using the **ALLEN KEY (D)** to tighten the **ALLEN BOLT (A)**. Repeat this process for all legs.



JOON LOLOI

STEP 3

Turn the table right side up. **THE LEVELING GLIDE (E)** is located at the bottom of each table leg. Once the table is in the desired position, adjust the leveling glides as needed to accommodate the surface. Ensure the table is level and stable. When properly leveled, the assembly is complete.



JOON LOLOI

STEP 4

To extend the table, unlock the **LOCK (F)** mechanism located on the underside of the **TABLE TOP (1)**, then separate the table top ends by pulling them in opposite directions. Next, place and align the **LEAF (2)** in the center, bring the table top ends together to secure the leaf, and lock the **LOCK (F)** mechanism firmly.

