

ASSEMBLY INSTRUCTIONS

Zia Table Lamp

LIGHTING

⚠ SAFETY INSTRUCTIONS

These instructions are provided for your safety. It is very important that they are read carefully and completely before beginning the assembly and installation of this lamp. This lamp has been rated for up to one (1) 18-watt maximum G4 LED bulb (included). To avoid the risk of fire, do not exceed the recommended wattage. This lamp is meant for indoor use. This portable lamp has a polarized plug (one blade is wider than the other) as a safety feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not attempt to defeat this safety feature DRY LOCATION ONLY. **SAVE THESE INSTRUCTIONS.**

⚠ WARNING

TO REDUCE THE RISK OF FIRE, ELECTRICAL SHOCK OR PERSONAL INJURY, ALWAYS TURN OFF AND UNPLUG THE LAMP AND ALLOW IT TO COOL PRIOR TO REPLACING THE LIGHT BULB.


DO NOT TOUCH BULB WHEN THE LAMP IS TURNED ON. DO NOT LOOK DIRECTLY AT LIT BULB.

KEEP FLAMMABLE MATERIALS AWAY FROM LIT BULB.

ASSEMBLY INSTRUCTIONS


Remove all parts and hardware from box along with any plastic protective packaging. Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts or hardware.

PARTS INVENTORY		
ID	DESCRIPTION	QTY
A	GLASS SHADE	1
B	G4 LEB BULB (INCLUDED)	1
C	SOCKET	1
D	CHARGING INDICATOR LIGHT	1
E	ON-OFF/DIMMER SWITCH	1
F	CHARGING DOCK WITH WIRE & ADAPTOR	1




STEP 1

Place G4 LED **BULB (B)** into **SOCKET (C)**. Be careful not to bend the contact pins of the bulb during insertion into the socket.



STEP 2

Attach the **GLASS SHADE (A)** by fitting the **GLASS SHADE (A)** into the threads of the lamp base and carefully turning the **GLASS SHADE (A)** in a clockwise direction until secure. Do not overtighten.




STEP 3

For best results fully charge battery before use.

STEP 4

Touch the **ON-OFF SENSOR (E)** on the lamp base and test the lamp. Single Touch – On/Off. Tap using the pad of your finger, not the tip of your finger. Long Touch – Adjust brightness. Lightly touch the pad of your finger over the button until you reach the desired output of light.

WARNING: DO NOT PUSH THE ON-OFF/DIMMER SWITCH USING FORCE, DOING SO WILL CAUSE THE BUTTON TO MALFUNCTION.



CHARGING INSTRUCTIONS

1. Connect the charging dock with the wire and adaptor.
2. Plug the charger into the power.
3. Place the lamp onto the charging point. Charge the lamp with/without light source using the provided charging station. The charging indicator light(D) is red when charging successfully. If needed, gently turn the lamp base to make sure the contact point connects well until the red light is on.
4. When the light turns green, the lamp is fully charged.

Note: It will take approximately 12 hours to fully charge the lamp

BATTERY STORAGE MAINTENANCE

- The lamp should be stored in cool and dry place. Please note that the lamp's performance is subject to a temperature range of 0°C to 40°C (32°F to 104°F).
- The lamp can be recharged at any time without the need to fully discharge.
- Use the lamp often. Rechargeable batteries like to be exercised for optimum life. Recharge the lamp at least once per month.
- If the battery is completely drained for an extensive period, the lamp may take up to 15 minutes to start recharging.
- Avoid high temperatures. Operating and storing lamps in hot environments will impair performance and shorten battery life.
- If there is any sign of damage to the battery, please stop using the lamp immediately.
- Do not attempt to replace batteries.
- To maintain the rechargeable bulb lifespan, avoid keeping the lamp lit while it places on the charging dock.

CARE INSTRUCTIONS

- Wipe clean with a soft, dry cloth or static duster.
- Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the lamp's finish.